

FACSIMILE TRANSMISSION

Mail Stop:

To: UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

Facsimile No.: 571-273-8300

FEB 02 2006

No. of Pages (including this page): 13**IF YOU DO NOT RECEIVE CLEARLY ALL PAGES, PLEASE CONTACT US
IMMEDIATELY BY TELEPHONE AT (202) 543-6404****USPTO: PLEASE ACKNOWLEDGE CLEAR RECEIPT OF ALL PAGES INDICATED
ABOVE BY FAXING THIS PAGE BACK TO (202) 543-6406**

In re PATENT APPLICATION OF:

FITZGERALD, Ian

Atty. Dkt.: 2560-0427

Appln. No.: 10/797,059

Group Art: 3745

Filing Date: 03/11/2004

Examiner: WIEHE, N.

Title: Tube-Type Vortex Reducer With Retaining Ring

Date: February 2, 2006

Name of paper being transmitted: Amendment

Message:

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office at the above fax number on the date shown below.

Name: Timothy J. KlimaSig: Date: February 2, 2006Harbin King & Klima
500 Ninth Street, SE
Washington, DC 20003
(202) 543-6404 Phone
(202) 543-6406 Fax

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

FEB 02 2006

In re PATENT APPLICATION OF:

FITZGERALD, Ian

Atty. Dkt.: 2560-0427

Appln. No.: 10/797,059

Group Art: 3745

Filing Date: 03/11/2004

Examiner: WIEHE, N.

Title: Tube-Type Vortex Reducer With Retaining Ring

Date: February 2, 2006

REPLY/AMENDMENT/LETTER TRANSMITTAL COVER SHEET

Mail Stop:

Hon. Commissioner of Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

This is a reply/amendment/letter in the above-identified application and includes the attachments hereto.
The signature below is treated as the signature to the attachments in the absence of a signature thereto.

FEE REQUIREMENTS FOR CLAIMS AS AMENDED

| | | | | Large/Small Entity | |
|---|--|------------------|---|--------------------|--------|
| 1. Total Effective Claims | | Minus # Paid For | = | X \$50 / \$25 = | +0 |
| 2. Independent Claims | | Minus # Paid For | = | X \$200 / \$100 = | +0 |
| 3. If amendment enters <u>proper</u> multiple dependent claim(s) into this application for first time (leave this line blank if this is <u>reissue</u> application) | | | | \$360 / \$180 = | +0 |
| 4. Original due date: November 2, 2005 | | | | | |
| Petition is hereby made to extend the <u>original</u> due date to cover the date this response is filed for which the requisite fee | | 1 mo. | | \$120 / \$60 = | +1020 |
| | | 2 mos. | | \$450 / \$225 = | |
| | | 3 mos. | | \$1020 / \$510 = | |
| | | 4 mos. | | \$1590 / \$795 = | |
| 6. Petition Fee | | | | \$130 | +0 |
| 7. Other fee for | | | | | +0 |
| 8. Total Fee Enclosed: | | | | | \$1020 |

9. ☒ Please charge the total fee to our Deposit Account No.: 50-3272 under our Order No. (Matter No.): 2560-0427

CHARGE STATEMENT: The Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and which may be required under Rules 16-18 (missing or insufficiencies only) now or hereafter relative to this application and the resulting Official document under Rule 20, or credit any overpayment, to our Account/Order Nos. shown in the heading hereof for which purpose a duplicate copy of this sheet is attached.

Harbin King & Klima
500 Ninth Street, SE
Washington, DC 20003
Phone: 202-543-6404
Fax: 202-543-6406

Respectfully submitted,

By:

Timothy J. Klima
Reg. No.: 34,852

02/06/2006 WABDELRI 00000006 503272 10797059

01 FC:1253 1020.00 DA

RECEIVED
CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

FEB 02 2006

In re PATENT APPLICATION OF:

FTZGERALD, Ian

Atty. Dkt.: 2560-0427

Appln. No.: 10/797,059

Group Art: 3745

Filing Date: 03/11/2004

Examiner: WIEHE, N.

Title: Tube-Type Vortex Reducer With Retaining Ring

Date: February 2, 2006

AMENDMENT

Hon. Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the outstanding Official Action dated August 2, 2005, please amend the
subject application as follows: